



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE ES6200032
SITENAME Minas de la Celia

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS AND RELATION WITH CORINE BIOTOPES](#)
- [6. IMPACTS AND ACTIVITIES IN AND AROUND THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code ES6200032 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

| |
|-------------------|
| Minas de la Celia |
|-------------------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1999-02 | 1.5 Update date 2010-12 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|---------------------------|--|
| Name/Organisation: | Dirección General de Medio Ambiente. Consejería de Presidencia. Comunidad Autónoma de la Región de Murcia. |
| Address: | C/ Catedrático Eugenio Úbeda, 3-3ª pl. 30.008 MURCIA. Tfno. 968 228883 Fax. 968 228904 |
| Email: | amador.lopez@carm.es juand.cabezas@carm.es |

| | |
|---|---------|
| Date site proposed as SCI: | 1999-04 |
| Date site confirmed as SCI: | 2006-09 |
| Date site designated as SAC: | No data |
| National legal reference of SAC designation: | No data |

2. SITE LOCATION

[Back to top](#)

2.1 Site-centre location [decimal degrees]:

Longitude

-1.47083333333333

Latitude

38.46333333333334

2.2 Area [ha]:

1.9

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|------------------|
| ES62 | Región de Murcia |
|------|------------------|

2.6 Biogeographical Region(s)

Mediterranean (0.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 5210 | | | 0.2375 | | | B | C | B | B |
| 5330 | | | 0.2375 | | | A | C | A | A |
| 6220 | | | 0.2375 | | | A | C | A | A |
| 8210 | | | 0.2375 | | | A | C | A | A |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive

92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | Site assessment | | |
|---------|------|---|---|----|------------------------|------|-----|------|---------|-----------------|---------|-------|
| Group | Code | Scientific Name | S | NP | Type | Size | | Unit | Cat. | Data quality | A B C D | A B C |
| | | | | | | Min | Max | | C R V P | | Pop. | Cons. |
| M | 1310 | Miniopterus schreibersii | | | p | | | | P | | C | B |
| M | 1307 | Myotis blythii | | | p | | | | P | | C | B |
| M | 1316 | Myotis capaccinii | | | p | | | | P | | C | B |
| M | 1324 | Myotis myotis | | | p | | | | P | | C | B |
| M | 1304 | Rhinolophus ferrumequinum | | | p | | | | P | | C | B |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|---------------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| M | 5277 | Eptesicus isabellinus | | | | | | C | X | | X | | | |
| M | 5278 | Myotis escaleraei | | | | | | C | X | | X | | | |
| M | 1329 | Plecotus austriacus | | | | | | C | X | | X | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present

- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

| Habitat class | % Cover |
|----------------------------|------------|
| N23 | 100.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Se sitúan junto al diapiro del mismo nombre, en una zona de monte de unos 600 m de altitud cubierto principalmente por espartizales y rodeado de cultivos de secano, sobre materiales volcánicos de final del Mioceno. Se trata de un conjunto de abrigos y galerías de minas abandonadas, con un interés mineralógico y petrológico excepcional, por la existencia de yacimientos fundamentalmente de esparraguina (variedad del apatito) y hematites, relacionados con las rocas volcánicas denominadas "Jumillitas".

4.2 Quality and importance

El interés faunístico de este enclave radica en la variedad de quirópteros que se refugian en las galerías de mina abandonadas, con 8 especies censadas hasta el momento, lo que supone el 53% del catálogo de la Región de Murcia. Destaca la presencia de *Myotis blythii* y *Rinolophus ferrumequinum*, incluidos en el Anexo II de la Directiva Hábitats.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| L | F03.02 | | i |
| M | A07 | | o |
| M | G01.04 | | i |
| M | G05 | | i |
| M | G05.04 | | i |
| L | C01.07 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

| Type | [%] | |
|-----------------------|------------------|-----|
| Public | National/Federal | 0 |
| | State/Province | 0 |
| | Local/Municipal | 0 |
| | Any Public | NaN |
| Joint or Co-Ownership | 0 | |
| Private | 100 | |
| Unknown | 0 | |
| sum | NaN | |

4.5 Documentation

- Guardiola Gomez, Angel, et al. 1991. Catalogo , distribución y estatus de los quiropteros de la Región de Murcia. Agencia Regional para el Medio Ambiente y la Naturaleza. - Arana Castillo, Rafael, et al. 1999. El patrimonio geológico de la Región de Murcia. Fundación Séneca. - Lisón, F. 2010. Actualización del inventario regional de poblaciones de quirópteros, medidas de protección específicas para los refugios de importancia en la Región de Murcia y elaboración de documentos básicos de planes de gestión de los Lugares de Importancia Comunitaria (LIC) con poblaciones de quirópteros incluidos en el Anexo II de la Directiva 92/43/CEE. SGS-TECNOS, S. A. para la Dirección General de Patrimonio Natural y Biodiversidad, Consejería de Agricultura y Agua de la Región de Murcia. Inédito. Real Decreto 139/2011, de 4 de febrero, para el desarrollo del Listado de Especies Silvestres en Régimen de Protección Especial y del Catálogo Español de Especies Amenazadas. - Comunidad Autónoma de la Región de Murcia. Ley 7/1995, de 21 de abril, de la Fauna Silvestre de la Región de Murcia (BORM nº 102, de 4 de mayo de 1995).

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| ES00 | 100.0 | | | | |

5.3 Site designation (optional)

El lugar es Espacio Protegido Red Natura 2000 según la Ley 42/2007, de 13 de diciembre, del Patrimonio Natural y de la Biodiversidad.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|--|
| Organisation: | Dirección General de Medio Ambiente. Consejería de Presidencia. Comunidad Autónoma de la Región de Murcia. |
| Address: | C/ Catedrático Eugenio Úbeda, 3-3ª pl. 30.008 MURCIA. Tfno. 968 228883 Fax. 968 228904 |
| Email: | amador.lopez@carm.es juand.cabezas@carm.es |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | Yes |
| <input type="checkbox"/> | No, but in preparation |
| <input checked="" type="checkbox"/> | No |

6.3 Conservation measures (optional)

Cerramiento de galerías y abrigos mediante sistemas compatibles con la presencia de murciélagos en el LIC ?Minas de la Celia?, T.M. de Jumilla (2003). Actualización del inventario regional de poblaciones de quirópteros, medidas de protección específicas para los refugios de importancia de la Región de Murcia y elaboración de documentos básicos de planes de gestión de los Lugares de Importancia Comunitaria (LIC) con poblaciones de quirópteros incluidos en el Anexo II de la Directiva 92/43/CEE.